





NOTES:


1. DIMENSIONS ARE IN MILLIMETERS AND [] BRACKETS ARE IN INCHES.
2. DIMENSIONS ARE NOMINAL. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.




C20 INLET OPTION USED FOR MODELS: CW-24V2A311A1, CW-24VEA311A1, CX-24V2A311A1, CX-24VEA311A1



**DETAIL A
 STRAIN RELIEF
 HARD-WIRED INLET
 OPTION**
 USED FOR MODEL:
 CW-24V2C311A1, CW- 24V2C311A1/0,
 CW-24VEK311A1, CW- 24VEK311A1/0,
 CX-24V2C311A1, CX- 24V2C311A1/0,
 CX-24VEK311A1



**DETAIL B
 CX-24V
 (LINKED)**
 CX-24V2A311A1, CX-24V2C311A1,
 CX- 24V2C311A1/0, CX-24VEA311A1,
 CX-24VEK311A1



BOTTOM CORD OPTION

TOLERANCES (UNLESS OTHERWISE SPECIFIED) LINEAR DIMENSIONS: .X = ± .500 .XX = ± .300 .XXX = ± .130 ANGULAR DIMENSIONS: X = ± 1° X.X = ± 5° X.XX = ± .25° SYMBOLS (Q#) = CRITICAL DIM. (S) = COSMETIC SURFACE	UNLESS OTHERWISE SPECIFIED * INTERPRET DRAWING IAW ASME Y14.100-2000 * DIMENSIONING & TOLERANCING IAW ASME Y14.5M-2007 * REMOVE ALL BURRS AND SHARP EDGES .2 R MAX * DIMENSIONS ARE IN MILLIMETERS * DIMENSIONAL LIMITS APPLY AFTER PLATING/COATING. DO NOT SCALE DRAWING	THIRD ANGLE PROJECTION 	
	MATERIAL:	APPROVALS DRAWN BY: G.GEORGIEV CHECKED BY: R.GREEN APPROVED BY: F.FERGUSON RELEASED BY: F.GAIKOWSKI	DATE 4/1/2010 10/22/2010 10/22/2010
FINISH:	VENDOR PART NO.:	SCALE: NONE	FILE NO.: 412-0375-34.idw

SERVER TECHNOLOGY, INC.
 1040 Sandhill Drive Reno, NV 89521

DRAWING TITLE:
 OUTLINE DRAWING, CDU,
 CX/CW-24V2[E]-C[L][P]xxM/x, w/
 MOUNTING BRACKET OPTIONS

SIZE B	CAGE CODE 04V90	DWG NO. 412-0375-34	REV 2
SCALE: NONE		FILE NO: 412-0375-34.idw	SHEET 1 OF 3

RoHS COMPLIANT



REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
-	1	INITIAL DESIGN	4/1/2010	GG/
-	2	UPDATED AFTER ENA V&T	9/30/2010	GG/FF

SERVER TECHNOLOGY, INC
 PROPRIETARY INFORMATION


THIS DOCUMENT IS THE SOLE PROPERTY OF SERVER TECHNOLOGY, INC. THE RELEASE OF DATA CONTAINED IN THIS DOCUMENT AND THE REPRODUCTION OF THIS DOCUMENT, IN WHOLE OR IN PART, WITHOUT THE WRITTEN PERMISSION OF SERVER TECHNOLOGY, INC IS PROHIBITED.

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.


- NOTES:
- DIMENSIONS ARE IN MILLIMETERS AND [] BRACKETS ARE IN INCHES.
 - MOUNTING BRACKETS CAN BE MOUNTED IN SEVERAL DIFFERENT POSITIONS SEE FIG. A, B, C, AND D.
 - MAXIMUM PANEL THICKNESS FOR BUTTON INTO KEYHOLE PANEL IS 2.3MM.
 - DIMENSIONS ARE NOMINAL. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.




2 FIG. A
 MB-0005-IPT7




2 FIG. B
 MB-0005-IPT7



2 FIG. C
 MB-0005-IPT7



2 FIG. D
 MB-0005-IPT7



*
 DETAIL-A
 2X THRU

TOLERANCES (UNLESS OTHERWISE SPECIFIED) LINEAR DIMENSIONS: .X = ±.500 .XX = ±.300 .XXX = ±.130 ANGULAR DIMENSIONS: X = ±1° X.X = ±5° X.XX = ±.25°	UNLESS OTHERWISE SPECIFIED * INTERPRET DRAWING IAW ASME Y14.100-2000 * DIMENSIONING & TOLERANCING IAW ASME Y14.5M-2007 * REMOVE ALL BURRS AND SHARP EDGES .2 R MAX * DIMENSIONS ARE IN MILLIMETERS * DIMENSIONAL LIMITS APPLY AFTER PLATING/COATING. DO NOT SCALE DRAWING	THIRD ANGLE PROJECTION 	
	MATERIAL: FINISH: Vendor Part No:	APPROVALS DRAWN BY: G.GEORGIEV CHECKED BY: R.GREEN APPROVED BY: F.FERGUSON RELEASED BY: F.GAIKOWSKI	DATE 4/1/2010 10/22/2010 10/22/2010 10/21/2010



SERVER TECHNOLOGY, INC.

1040 Sandhill Drive Reno, NV 89521

DRAWING TITLE:
**OUTLINE DRAWING, CDU,
 CX/CW-24V2[E]-C[L][P]xxM/x, w/
 MOUNTING BRACKET OPTIONS**

SIZE B	CAGE CODE 04V90	DWG NO. 412-0375-34	REV 2
SCALE: NONE	FILE NO: 412-0375-34.idw	SHEET	2 OF 3

- NOTES:
- DIMENSIONS ARE IN MILLIMETERS AND [] BRACKETS ARE IN INCHES.
 - HIDDEN BRACKETS SHOWN ARE DIFFERENT OPTIONS FOR MOUNTING.
 - DIMENSIONS ARE NOMINAL. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.



TOLERANCES (UNLESS OTHERWISE SPECIFIED) LINEAR DIMENSIONS: .X = ± .500 .XX = ± .300 .XXX = ± .130 ANGULAR DIMENSIONS: X = ± 1° X.X = ± 5° X.XX = ± .25°	UNLESS OTHERWISE SPECIFIED * INTERPRET DRAWING IAW ASME Y14.100-2000 * DIMENSIONING & TOLERANCING IAW ASME Y14.5M-2007 * REMOVE ALL BURRS AND SHARP EDGES .2 R MAX * DIMENSIONS ARE IN MILLIMETERS * DIMENSIONAL LIMITS APPLY AFTER PLATING/COATING. DO NOT SCALE DRAWING	THIRD ANGLE PROJECTION 		SERVER TECHNOLOGY, INC. 1040 Sandhill Drive Reno, NV 89521 	
	MATERIAL: FINISH: VENDOR PART NO:	APPROVALS DRAWN BY: G.GEORGIEV CHECKED BY: R.GREEN APPROVED BY: F.FERGUSON RELEASED BY: F.GAIKOWSKI	DATE 4/1/2010 10/22/2010 10/22/2010 10/21/2010	DRAWING TITLE: OUTLINE DRAWING, CDU, CX/CW-24V2[E]-C[L][P]xxM/x, w/ MOUNTING BRACKET OPTIONS	
SYMBOLS (Q#) = CRITICAL DIM. (S) = COSMETIC SURFACE	SIZE B		CAGE CODE 04V90	DWG NO. 412-0375-34	REV 2
SCALE: NONE			FILE NO: 412-0375-34.idw	SHEET 3 OF 3	