

**SERVER TECHNOLOGY, INC.**  
**PROPRIETARY INFORMATION**


THIS DOCUMENT IS THE SOLE PROPERTY OF SERVER TECHNOLOGY, INC. THE RELEASE OF DATA CONTAINED IN THIS DOCUMENT AND THE REPRODUCTION OF THIS DOCUMENT IN WHOLE OR IN PART, WITHOUT THE WRITTEN PERMISSION OF SERVER TECHNOLOGY, INC. IS PROHIBITED.

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.

RoHS COMPLIANT

REV		DESCRIPTION	DATE	DFT/APPR
1		INITIAL DESIGN	07/13/11	MB/TI

NOTES:



Part Number	Expansion	Input	Output	Outlet Type	Branch Circuit: North America	Phase: North America
Master		Rating, North America	Input Type	Output Rating North America	Outlet: North America	
CS-18VDX813A2	CL-18VDX813A2	240V 3W+PE, 50/60Hz; 48A	IEC 60309	240V, 50/60Hz; <= 83.1A	12xC19 <= 16A each, 6xC13 <= 12A each	IEC 60320 C13 and C19
CS-18VDV413A2	CL-18VDV413A2	240V 3W+PE, 50/60Hz; 40A	CS8365C	240V, 50/60Hz; <= 69.3A	12xC19 <= 16A each, 6xC13 <= 12A each	IEC 60320 C13 and C19
CS-18VYV813A2	CL-18VYV813A2	120/208V 3W+N+PE, 50/60Hz; 48A	IEC 60309	208V, 50/60Hz; <= 83.1A	12xC19 <= 16A each, 6xC13 <= 12A each	IEC 60320 C13 and C19

**SERVER TECHNOLOGY, INC.**  
1040 Sandhill Drive Reno, NV 89521

DRAWING TITLE:  
**FUNCTIONAL BLOCK WIRING DIAGRAM**  
DRAWING, SMART V18

REV	CAGE CODE	DWG NO.	SHEET
B	049V0	495-0374-11	1
SCALE: 1/1		SHEET 1 OF 1	