





SERVER TECHNOLOGY, INC
 PROPRIETARY INFORMATION

THIS DOCUMENT IS THE SOLE PROPERTY OF SERVER TECHNOLOGY, INC. THE RELEASE OF DATA CONTAINED IN THIS DOCUMENT AND THE REPRODUCTION OF THIS DOCUMENT, IN WHOLE OR IN PART, WITHOUT THE WRITTEN PERMISSION OF SERVER TECHNOLOGY, INC IS PROHIBITED.

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.

RoHS COMPLIANT

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
-	1	INITIAL DESIGN	1/3/2011	MAR/



ISO VIEW

Part Number	Expansion	Input			Output							
		Rating, North America	GS	PSE Japan	Input Type	Output Rating North America	GS	PSE Japan	Outlet: North America / GS / PSE	Outlet Type	Branch Circuit: North America / GS / PSE	
CW-16V2A317	CX-16V2A317	208-240V, 50/60Hz; 16A		200-240V, 50/60Hz; 20A	IEC 60320 C20 Inlet	208-240V, 50/60Hz; <= 16A		200-240V, 50/60Hz; <= 20A	<= 12A // <= 15A		IEC 60320 C13	<= 16A // <= 20A
CW-16V2C317	CX-16V2C317	208-240V, 50/60Hz; 24A		200-240V, 50/60Hz; 30A	NEMA 16-30P	208-240V, 50/60Hz; <= 24A		200-240V, 50/60Hz; <= 30A	<= 12A // <= 15A		IEC 60320 C13	<= 16A // <= 20A
CW-16VEA317	CX-16VEA317		230V, 50/60Hz; 16A		IEC 60320 C20 Inlet		230V, 50/60Hz; <= 16A		/ <= 10A /		IEC 60320 C13	/ <= 16A /
CW-16VEC317	CX-16VEC317		230V, 50/60Hz; 32A		IEC 60309 32A		230V, 50/60Hz; <= 32A		/ <= 10A /		IEC 60320 C13	/ <= 16A /

TOLERANCES
 (UNLESS OTHERWISE SPECIFIED)
 LINEAR DIMENSIONS:
 .X = ± .500
 .XX = ± .300
 .XXX = ± .130

ANGULAR DIMENSIONS:
 X = ± 1°
 XX = ± .5°
 XXX = ± .25°

SYMBOLS
 (Q#) = CRITICAL DIM.
 (S) = COSMETIC SURFACE

UNLESS OTHERWISE SPECIFIED
 * INTERPRET DRAWING IAW ASME Y14.100-2000
 * DIMENSIONING & TOLERANCING IAW ASME Y14.5M-2007
 * REMOVE ALL BURRS AND SHARP EDGES .2 R MAX
 * DIMENSIONS ARE IN MILLIMETERS
 * DIMENSIONAL LIMITS APPLY AFTER PLATING/COATING.
 DO NOT SCALE DRAWING

THIRD ANGLE PROJECTION

APPROVALS

DRAWN BY: mramsey	DATE 1/3/2011
CHECKED BY: JM/DG	DATE 1/4/2011
APPROVED BY: JM/DG	DATE 1/4/2011
RELEASED BY: MAR/JM	DATE 1/4/2011

MATERIAL:
 FINISH:
 VENDOR PART NO:

SERVER TECHNOLOGY, INC.

1040 Sandhill Drive Reno, NV 89521

DRAWING TITLE:
**SWITCHED PIPS CDU MODEL
 #CW[CX]-24V2[E]-XXXX, 208-240V
 WIRING DIAGRAM**

SIZE B	CAGE CODE 04V90	DWG NO. 495-0113-72	REV 1
SCALE: NONE		FILE NO: 495-0113-72.idw	SHEET 1 OF 1